

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1796	single\$1sign\$1on or (single adj sign adj "on") or (single adj sign\$1on)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 08:26
S2	36929	"713".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 08:26
S3	274	S1 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 08:26
S7	201	single\$1log\$2 or (single adj log-on) or (single adj log-in) or (single adj log adj "on") or (single adj log adj "in")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 09:04
S10	806	single near3 (log\$1in log\$1in)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 09:18
S14	42	((sign\$1in sign\$1on (sign adj ("on" or "in")))) near5 (applet module plug\$1in)) with (transmit\$4 send\$3 forward\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 09:31

## EAST Search History

S27	25	(US-20010007133-\$ or US-20020138728-\$ or US-20030065956-\$ or US-20030084302-\$ or US-20030159072-\$ or US-20030182551-\$ or US-20050044380-\$ or US-20010037469-\$ or US-20050055555-\$ or US-20050074126-\$ or US-20050108521-\$ or US-20050154887-\$ or US-20020169961-\$ or US-20030005118-\$). did. or (US-6339423-\$ or US-6092203-\$ or US-7043455-\$ or US-6668322-\$ or US-6148404-\$ or US-6629246-\$ or US-6115744-\$ or US-6092196-\$ or US-7174383-\$ or US-6892307-\$ or US-6226752-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/05/12 10:41
S30	0	(embed\$4 with (applet module) with (web\$1site web\$1page)) near30 (verif\$7 check\$3 authenticat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 11:02
S31	1	((embed\$4 insert\$3) with (applet module) with (web\$1site web\$1page)) near30 (verif\$7 check\$3 authenticat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 11:02
S32	52	(embed\$4 with (applet module) with (web\$1site web\$1page))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 11:02
S33	6	S27 and ((re\$1fresh\$3 updat\$3) with (token cookie))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 11:28
S35	123	(remov\$3 dispos\$3 delet\$3) with cookie with client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 11:38

## EAST Search History

S36	2	(remov\$3 dispos\$3 delet\$3) with cookie with client with (session) with (end ending ended terminat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 11:39
S39	8	(sign\$1on sign\$1in (sign adj ("on" or "in"))) with (plug\$1in applet) with (browser interface gui)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 12:48
S40	76	(sign\$1on sign\$1in (sign adj ("on" or "in"))) and ((plug\$1in applet) with (browser interface gui) with (download\$3 embed\$4 transmit\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 12:50
S41	8	(sign\$1on sign\$1in (sign adj ("on" or "in"))) with (plug\$1in applet) with (browser interface gui)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 12:50
S44	105	(sign\$1on sign\$1in (sign adj ("on" or "in"))) and ((applet plug\$1in) with browser) and ((chip wise smart IC) near card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 13:51
S45	1	(sign\$1on sign\$1in (sign adj ("on" or "in"))) same ((applet plug\$1in) with browser) same ((chip wise smart IC) near card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 13:51
S47	3	(sign\$1on sign\$1in (sign adj ("on" or "in"))) same (applet plug\$1in) same ((chip wise smart IC) near card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 14:10

## EAST Search History

S48	3	(sign\$1on sign\$1in (sign adj ("on" or "in")))) same (applet plug\$1in) same ((chip wise smart IC) near3 card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 14:36
S49	73	((chip wise smart IC) near3 card) same (sign\$1on sign\$1in (sign adj ("on" or "in"))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 14:37
S53	68	(embed\$4 insert\$3) with packet with (indicat\$3 signal\$3 flag\$3) with (body data) with (encrypt\$3 scrambl\$3 secur\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:14
S56	290	(backup) with ((smart wise chip ic) near card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/16 11:25
S57	491	((backup) or (back\$3 near "up")) with ((smart wise chip ic) near card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/16 11:25
S58	35	((backup) or (back\$3 near "up")) with ((smart wise chip ic) near card) with (ram rom) with data with (remote server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/16 11:27
S59	32	((back\$3 near "up")) with ((smart wise chip ic) near card) with (ram rom) with data with (remote server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/16 11:27

## EAST Search History

S63	3	((smart wise chip ic) near card) with (data info information) with (web\$1page web\$1form)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/16 12:41
-----	---	--	--	----	-----	------------------

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	361	((smart wise chip IC) near card) with remote with (verif\$7 check\$3 authenticat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 16:38
S2	0	((smart wise chip IC) near card) with remote with (verif\$7 check\$3 authenticat\$3)) same (cookie)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 16:38
S3	14	((smart wise chip IC) near card) with remote with (verif\$7 check\$3 authenticat\$3)) same (log?n log\$1in log\$1on)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 16:39
S4	5	((log?n log\$1on log\$1in) with (web\$1page screen gui prompt)) same (access\$3 retriev\$3) with ((smart wise chip ic) near card) same (authenticat\$3 verif\$7 check\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 16:45
S5	540	((smart wise chip ic) near card) same (authenticat\$3 verif\$7 check\$3) same remote same (access\$3 retriev\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 16:48
S6	19	((smart wise chip ic) near card) near10 (authenticat\$3 verif\$7 check\$3) near10 remote near10 (access\$3 retriev\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 16:49
S9	425	((smart wise chip ic) near card) with (authenticat\$3 verif\$7 check\$3) with remote\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 13:50

## EAST Search History

S10	7736	((log?n log\$1on log\$1in) with (web\$1page screen gui prompt))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/15 13:52
S11	13	S9 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/15 13:52
S13	821	(token ((smart wise chip ic) near card)) with (authentica\$3 verif\$7 check\$3) with remote\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 13:55
S14	9837	remote\$2 with (retriev\$3 access\$3) with (id identif\$7 credential)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 13:56
S15	14	S10 and S13 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 13:56
S18	117	S13 same S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/15 14:31

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	45	(replac\$3 substitut\$3 over\$1writ\$3) with (credential private secret) with ((smart wise chip IC) near card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 13:36
S3	2221	((smart wise chip ic) near card) with (show\$3 display\$3) with (info information data) with (retriev\$3 sav\$3 writ\$3 transmit\$3 embed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 13:45
S4	1239	((smart wise chip ic) near card) with (display\$3) with (info information data) with (retriev\$3 sav\$3 writ\$3 transmit\$3 embed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 13:46
S5	37045	"713".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 13:46
S6	45	S4 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 13:46
S9	259	((smart wise chip ic) near card) with (embed\$3) with (encrypt\$3 encod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 14:31
S10	51	S6 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 14:32



## EAST Search History

S11	3	((smart wise chip ic) near card) with ("backup" or "backing-up" or "back-up" or "backing up") with embed\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 14:34
S14	24	(Xuanming near3 shi).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 15:17
S15	18	(Tai near guen near enterprise).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 15:18